

HG100G

DEMAND SAFETY

The Hyde GUARDIAN GoldTM Ballast
Water Treatment system is an
effective and reliable solution
combining filtration with Ultraviolet
(UV) disinfection.

HG100G Features:

- Smallest footprint on the market
- > Optimized size for smaller vessels
- Seven automatic modes of operation for one-touch operation
- Two-sided chamber reduces maintenance space requirements
- Automatic backflushing filter capable of handling heavy organic and sediment loading
- Produces no harmful disinfection byproducts

What's Included:

- > Filter
- UV Chamber
- Control Panel
- Power Panel
- Control valves
- > Flow meter
- Air supply regulator

Options available:

- Skid mounting (includes interconnect piping and wiring)
- Hazardous Area certification available
- Easy interface with ships automation
- Isokinetic Sample Port(s)
- Remote Panels




The HG100GS assembly mounts major components for ease of installation.


Technical Data		
Treatment Rated Capacity	100 m³/hr	
Electrical Supply	380 – 690V · 50/60 Hz · 3 ph	
Power Consumption	11 kW Nominal · 20 kW max	
Max. Operating Pressure	10 bar	
Minimum Flow	10 m ³ /hr	
Max. Operating Temperature	55 C	


Component	Size (L·W·H) (mm)	Weight (kg)
Skid (Complete Assembly)	1617 · 1028 · 2164	960
Filter	413 · 456 · 1050	131
UV Chamber	1186 · 949 · 587	165
Control Panel	600 · 210 · 760	35
Power Panel	1206 · 406 · 1803	363

FRONT VIEW



SIDE VIEW





TOP VIEW